



ENGINEERS •
SURVEYORS

1810 E. Mansfield St.
P.O. Box 325
Bucyrus, Ohio 44820
(419) 562-7757
(419) 562-4717 fax

LEGAL DESCRIPTION FOR THE GWINNER FAMILY TRUST

68.109 ACRES

TOWNSHIP OF EDEN, WYANDOT COUNTY, OHIO

SITUATED IN THE STATE OF OHIO, COUNTY OF WYANDOT, TOWNSHIP 2 SOUTH, RANGE 14 EAST, TOWNSHIP OF EDEN, BEING PART OF THE NORTHEAST QUARTER OF SECTION 12, AND BEING A 68.109 ACRE ORIGINAL TRACT CONVEYED TO GWINNER FAMILY TRUST OF RECORD IN DEED BOOK 195, PAGE 955, RECORDS REFER TO THE COUNTY RECORDER'S OFFICE, WYANDOT COUNTY, OHIO AND BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS;

BEGINNING FOR REFERENCE AT A MAG SPIKE SET OVER A STONE ON THE CENTERLINE OF INTERSECTIONS OF COUNTY HIGHWAY 44 (40 FEET IN WIDTH) AND COUNTY HIGHWAY 128 (40 FEET IN WIDTH), THE SOUTHEAST CORNER OF SAID QUARTER, AND THE SOUTHEAST CORNER OF A TRACT CONVEYED TO LARRY J. AND JUDY J. SECOY OF RECORD IN OFFICIAL RECORD 216, PAGE 2021;

THENCE SOUTH $89^{\circ}13'44''$ WEST, A DISTANCE OF 1519.98 FEET WITH THE CENTERLINE OF SAID COUNTY HIGHWAY 44, THE SOUTH LINE OF SAID QUARTER, AND THE SOUTH LINE OF SAID SECOY TRACT, TO A MAG SPIKE SET AND BEING REFERENCED BY AN IRON PIN SET NORTH $00^{\circ}21'07''$ EAST, A DISTANCE OF 20.00 FEET, SAID MAG SPIKE BEING THE SOUTHEAST CORNER OF SAID GWINNER FAMILY TRACT AND THE SOUTHWEST CORNER OF SAID SECOY TRACT, AND ALSO BEING THE POINT OF BEGINNING;

THENCE CONTINUING SOUTH $89^{\circ}13'44''$ WEST, A DISTANCE OF 1122.51 FEET WITH THE CENTERLINE OF SAID COUNTY HIGHWAY 44, THE SOUTH LINE OF SAID QUARTER, AND THE SOUTH LINE OF SAID GWINNER FAMILY TRACT, TO A SURVEY NAIL FOUND OVER A STONE AND MONUMENT BOX AT THE SOUTHWEST CORNER OF SAID QUARTER, THE SOUTHWEST CORNER OF SAID GWINNER FAMILY TRACT, AND THE SOUTHEAST CORNER OF A TRACT CONVEYED TO GWEN L. AND DAVID P. KUENZLI OF RECORD IN DEED BOOK 207, PAGE 773;

THENCE NORTH $00^{\circ}20'48''$ EAST, A DISTANCE OF 2643.53 FEET WITH THE NORTH - SOUTH HALF SECTION LINE, THE WEST LINE OF SAID GWINNER FAMILY TRACT, AND THE EAST LINE OF SAID KUENZLI TRACT, PASSING AN IRON PIN SET AT 20.00 FEET ON THE NORTH RIGHT-OF-WAY LINE OF SAID COUNTY HIGHWAY 44, TO AN IRON PIN SET AT THE NORTHWEST CORNER OF SAID QUARTER, THE NORTHWEST CORNER OF SAID GWINNER FAMILY TRACT, THE NORTHEAST CORNER OF SAID

SEARCHED SERIALIZED INDEXED
1664

KUENZLI TRACT, AND THE SOUTH LINE OF A TRACT CONVEYED TO TIFFANY J. DERR TRUSTEE & ETAL OF RECORD IN OFFICIAL RECORD 208, PAGE 1965;

THENCE NORTH $89^{\circ}15'28''$ EAST, A DISTANCE OF 1122.75 FEET WITH THE EAST - WEST HALF SECTION LINE, THE NORTH LINE OF SAID GWINNER FAMILY TRACT, THE SOUTH LINE OF SAID DERR TRACT, AND THE SOUTH LINE OF A TRACT CONVEYED TO REBECCA JANE TREASE OF RECORD IN OFFICIAL RECORD 241, PAGE 2273, 2277, TO AN IRON PIN SET AT A NORTHEAST CORNER OF SAID GWINNER FAMILY TRACT AND THE NORTHWEST CORNER OF SAID SECOY TRACT;

THENCE SOUTH $00^{\circ}21'07''$ WEST, A DISTANCE OF 2642.97 FEET WITH THE EAST LINE OF SAID GWINNER FAMILY TRACT AND THE WEST LINE OF SAID SECOY TRACT, PASSING IRON PINS SET AT 691.73 FEET, 999.49 FEET AND AT 2622.97 FEET ON THE NORTH RIGHT-OF-WAY LINE OF SAID COUNTY ROAD 44, TO THE MAG SPIKE SET AT THE POINT OF BEGINNING, CONTAINING 68.109 ACRES OF LAND, MORE OR LESS, OF WHICH 0.515 ACRES ARE IN THE RIGHT-OF-WAY.


THE ABOVE DESCRIPTION WAS BASED ON A SURVEY PREPARED BY MAKEEVER AND ASSOCIATES, INC. UNDER THE DIRECT SUPERVISION OF ISAAC L. KING, P.S. PROFESSIONAL SURVEYOR NUMBER 8318, DATED JULY, 2017, AND IS SUBJECT TO ALL HIGHWAYS, EASEMENTS, AND RESTRICTIONS OF RECORD.

ALL BEARINGS SHOWN HEREIN ARE BASED ON THE OHIO STATE PLANE COORDINATE SYSTEM, NORTH ZONE (NAD83).

ALL IRON PINS SET ARE 5/8" O.D. X 30" LONG REINFORCING RODS WITH YELLOW PLASTIC CAPS STAMPED "MAKEEVER AND ASSOC." UNLESS OTHERWISE NOTED.

PRIOR DEED REFERENCE: DEED BOOK 195, PAGE 955.


ISAAC L. KING, P.S.
PROFESSIONAL SURVEYOR NO. 8318
DATE: 9-13-2017



Mapcheck 3: TOTAL

Closure Summary

Precision, 1 part in: 1002627.978'
 Error distance: 0.008'
 Error direction: S79° 41' 29"E
 Area: 2966847.81 Sq. Ft.
 Square area: 2966847.812 68.109 ACRES
 Perimeter: 7531.760'
 Point of Beginning
 Easting: 1776392.9776'
 Northing: 441661.4685'
 Side 1: Line
 Direction: S89° 13' 44"W
 Angle: [89.2289 (d)]
 Deflection angle: [-90.7711 (d)]
 Distance: 1122.510'
 Easting: 1775270.5693'
 Northing: 441646.3617'
 Side 2: Line
 Direction: N0° 20' 48"E
 Angle: [-88.8822 (d)]
 Deflection angle: [91.1178 (d)]
 Distance: 2643.530'
 Easting: 1775286.5638'
 Northing: 444289.8433'
 Side 3: Line
 Direction: N89° 15' 28"E
 Angle: [-91.0889 (d)]
 Deflection angle: [88.9111 (d)]
 Distance: 1122.750'
 Easting: 1776409.2196'
 Northing: 444304.3872'
 Side 4: Line
 Direction: S0° 21' 07"W
 Angle: [-88.9058 (d)]
 Deflection angle: [91.0942 (d)]
 Distance: 2642.970'
 Easting: 1776392.9850'
 Northing: 441661.4671'

