

KOEHLER SURVEYING  
P.O. BOX 28  
UPPER SANDUSKY, OHIO 43351  
(419) 294-5388

---

**LEGAL DESCRIPTION OF A 1.853 ACRE PARCEL  
FOR LORNE ROMANKO**

Being a parcel of land situated in part of the Southeast Quarter of Section 31, T-1-S, R-15-E, Sycamore Township, Wyandot County, Ohio, and further described as follows:

Commencing at a set MAG nail marking the south quarter post of said Section 31, referenced by a found stone in a monument box situated S 89° 38' 55" W a distance of 64.24 feet;

thence on an assumed bearing of N 89° 31' 26" E along the centerline of County Highway 39 a distance of 185.54 feet to a set MAG nail and being the **POINT OF BEGINNING**;

thence N 00° 28' 34" W a distance of 273.00 feet to a set iron rod, passing a set iron rod a distance of 30.00 feet;

thence N 89° 31' 26" E along said line a distance of 295.60 feet to a set iron rod marking a corner common to a parcel of land currently owned by Darrell E. Walton, passing a set iron rod a distance of 69.21 feet;

thence S 00° 28' 34" E along a westerly line of said Walton parcel a distance of 273.00 feet to a set MAG nail on the centerline of County Highway 39 marking a corner of said Walton parcel, passing a set iron rod a distance of 243.00 feet;

thence S 89° 31' 26" W along said centerline a distance of 295.60 feet to the **POINT OF BEGINNING**.

Containing in all 1.853 acres of land, more or less, of which 0.204 acre, more or less, is currently contained within highway right-of-ways. The above described property being subject to all legal highways and easements of record.

Bearings are assumed and are for angular measurement only.

All set iron rods are 5/8" diameter with personalized plastic caps.

This legal description is based upon a survey performed by Victor B. Koehler, P.S. #7457, in May, 2001.

Prior Deed Reference Volume 210, Page 30.

01045-S (064)  
Parcel #4

VOL. 1 PAGE 1413

PARCEL 4  
1.853 AC

KOEHLER SURVEYING  
P.O. BOX 28  
UPPER SANDUSKY, OHIO 43351  
(419) 294-5388

---

LEGAL DESCRIPTION OF A 10.000 ACRE PARCEL  
FOR LORNE ROMANKO

Being a parcel of land situated in part of the Southwest Quarter of Section 31, T-1-S, R-15-E, Sycamore Township, Wyandot County, Ohio, and further described as follows:

Commencing at a found stone in a monument box marking the Southwest Corner of said Section 31;

thence on an assumed bearing of N 89° 38' 55" E along the centerline of County Highway 39 a distance of 1388.83 feet to a set MAG nail marking a southeasterly corner of a parcel of land currently owned by John L. Allen, et ux and being the **POINT OF BEGINNING**;

thence N 00° 26' 41" E along an easterly line of said Allen parcel and an easterly line of a parcel of land currently owned by Stanley H. Roush, et ux a distance of 1321.43 feet to a set iron rod marking a corner of said Roush parcel, passing a set iron rod a distance of 30.00 feet;

thence N 89° 37' 17" E along a southerly line of said Roush parcel a distance of 329.66 feet to a set iron rod;

thence S 00° 26' 41" W a distance of 1321.59 feet to a set MAG nail on the centerline of County Highway 39, passing a set iron rod a distance 1291.59 feet;

thence S 89° 38' 55" W along said centerline a distance of 329.66 feet to the **POINT OF BEGINNING**.

Containing in all 10.000 acres of land, more or less, of which 0.227 acre, more or less, is currently contained within highway right-of-way. The above described property being subject to all legal highways and easements of record.

Bearings are assumed and are for angular measurement only.

All set iron rods are 5/8" diameter with personalized plastic caps.

This legal description is based upon a survey performed by Victor B. Koehler, P.S. #7457, in April, 2001.

Prior Deed Reference – Volume 210, Page 30.

01045-S (064)  
Parcel #1

VOL 1 PAGE 141

PARCEL 1  
10.000 AC.

KOEHLER SURVEYING  
P.O. BOX 28  
UPPER SANDUSKY, OHIO 43351  
(419) 294-5388

---

**LEGAL DESCRIPTION OF A 10.000 ACRE PARCEL  
FOR LORNE ROMANKO**

Being a parcel of land situated in part of the Southwest Quarter of Section 31, T-1-S, R-15-E, Sycamore Township, Wyandot County, Ohio, and further described as follows:

Commencing at a found stone in a monument box marking the Southwest Corner of said Section 31;

thence on an assumed bearing of N 89° 38' 55" E along the centerline of County Highway 39 a distance of 1718.49 feet to a set MAG nail and being the **POINT OF BEGINNING**, passing a set MAG nail a distance of 1388.83 feet;

thence N 00° 26' 41" E a distance of 1321.59 feet to a set iron rod on a southerly line of a parcel of land currently owned by Stanley H. Roush, et ux, passing a set iron rod a distance of 30.00 feet;

thence N 89° 37' 17" E along said line a distance of 329.62 feet to a set iron rod;

thence S 00° 26' 41" W a distance of 1321.74 feet to a set MAG nail on the centerline of County Highway 39, passing a set iron rod a distance 1291.74 feet;

thence S 89° 38' 55" W along said centerline a distance of 329.62 feet to the **POINT OF BEGINNING**.

Containing in all 10.000 acres of land, more or less, of which 0.227 acre, more or less, is currently contained within highway right-of-way. The above described property being subject to all legal highways and easements of record.

Bearings are assumed and are for angular measurement only.

All set iron rods are 5/8" diameter with personalized plastic caps.

This legal description is based upon a survey performed by Victor B. Koehler, P.S. #7457, in April, 2001.

Prior Deed Reference – Volume 210, Page 30.

01045-S (064)

Parcel #2

KOEHLER SURVEYING  
P.O. BOX 28  
UPPER SANDUSKY, OHIO 43351  
(419) 294-5388

---

LEGAL DESCRIPTION OF A 27.320 ACRE PARCEL  
FOR LORNE ROMANKO

Being a parcel of land situated in part of the Southwest Quarter of Section 31, T-1-S, R-15-E, Sycamore Township, Wyandot County, Ohio, and further described as follows:

Cominencing at a found stone in a monument box marking the Southwest Corner of said Section 31;

thence on an assumed bearing of N 89° 38' 55" E along the centerline of County Highway 39 a distance of 2048.11 feet to a set MAG nail and being the **POINT OF BEGINNING**, passing two set MAG nails a distance of 1388.83 feet and 1718.49 feet respectively;

thence N 00° 26' 41" E a distance of 1321.74 feet to a set iron rod on a southerly line of a parcel of land currently owned by Stanley H. Roush, passing a set iron rod a distance of 30.00 feet;

thence N 89° 37' 17" E along said line a distance of 663.47 feet to a set iron rod on the north-south half section line of said Section 31;

thence N 89° 33' 33" E along a southerly line of said Roush parcel a distance of 250.38 feet to a set iron rod on the west line of a parcel of land currently owned by Darrel E. Walton;

thence S 00° 24' 50" W along the west line of said Walton parcel a distance of 1048.86 feet to a set iron rod;

thence S 89° 31' 26" W a distance of 69.21 feet to a set iron rod;

thence S 00° 28' 34" E a distance of 273.00 feet to a set MAG nail on the centerline of County Highway 39, passing a set iron rod a distance of 243.00 feet;

thence S 89° 31' 26" W along said centerline a distance of 185.54 feet to a set MAG nail marking the south quarter post of said Section 31;

thence S 89° 38' 55" W along said centerline a distance of 664.05 feet to the **POINT OF BEGINNING**, passing for reference a found stone in a monument box a distance of 64.24 feet.

Containing in all 27.320 acres of land, more or less, of which 0.585 acre, more or less, is currently contained within highway right-of-way. The above described property being subject to all legal highways and easements of record.

Bearings are assumed and are for angular measurement only.

All set iron rods are 5/8" diameter with personalized plastic caps.

This legal description is based upon a survey performed by Victor B. Koehler, P.S.  
#7457, in April, 2001.

Prior Deed Reference – Volume 210, Page 30.

01045-S (064)

Parcel #3