


Surveys # 21, 22, 23



Section 31. T2S R15E
 Surveyed November 10 and 11.
 1845

St	Beating corners	Am. Acre	Course the line	Cont. Acre
1	Sugar. Do	14	S 35 E	32
	do	10	S 29 W	42
5	Hickory	15	N 76 W	50
	Elm	6	N 85 1/2 E	32 1/2
2	Hickory	6	S 14 1/2 E	23
	do	5	S 89 W	22
3	Beech	24	S 87 1/2 W	12
	Sycam	10	S 31 1/2 E	12
4	Sugar	10	S 82 1/2 E	11
	Pronounced	6	N 12 1/4 W	40
6	M. Walnut	12	N 54 1/2 W	18
	Elm	6	S 7 1/2 E	14

Established the center post of Section 28 of T15E, November 11, 1845.
Bearing trees, W. Ash 12 in N 73/4 W 45 Hickory 22 in S 70 E 40" for
Joseph Snyder being Survey Number 2411.

Survey Number 25. ✓

Survey of William Miller November 19, 1845.

It being the NW 1/4 NW 1/4 Section 29 T3 S16 R14 E

Beginning at the NW corner of said section then N 86 1/4 E 20.07 to Sack ash
10 in N 40 3/4 W 123 Bm Oak 10 in S 86 W 108 thence S 3 E 40.04 chains Sack 10 in
N 89 1/4 E 73 Sack 9 in N 80 W 17 3/4 thence S 86 1/4 W 20.07 to NW original thence
N 3 W 40.00 chains to place of Beginning and containing 480.33 hundredth

