

ANTRIM 06 - 03 - 15

- ⑭ STATE OF OHIO (22 WL) (5-355)
43.19A 02-0795-NS (4-56,63)
- ⑮ STATE OF OHIO (20WL) (5-379)
11.19A 02-0800-NS (4-56,63)
- ⑯ BD. OF COMMISSIONERS (20WV) (5-384)
0.24A 02-0800-NS (4-56,63)
- ⑰ BD. OF COMMISSIONERS (73WV) (5-388)
0.08A 02-0825-NS (4-56,63)
- ⑱ STATE OF OHIO (21WL) (8-573)
12.14A 02-0790-NS (4-56,63)
- ⑲ BD. OF COMMISSIONERS (72WV) (8-584)
0.74A 02-0820-01-NS (4-56,63)
- ⑳ STATE OF OHIO (17WL) (193-1568) or
~~2.83A~~ 02-0795-0100 (4-70-76)
6.57A. (acreage change)
- ㉑ BD. OF COMMISSIONERS (17WV) (10-825)
1.40A 02-0795-0200 (4-56,63)
- ㉒ BD. OF COMMISSIONERS (70WV) (12-249)
0.70A 02-0805-0100 (4-56,63)
- ㉓ BD. OF COMMISSIONERS (70WV) (12-249)
0.06A 02-0800-01-01-NS (4-56,63)
- ㉔ STATE OF OHIO (23WL) (48-815)
53.15 02-0775-NS (4-56,63)

[Split from Parent 02-0800-01-0100
Auditor assigned 02-0800-01-0200]